

Package: VC2copula (via r-universe)

August 20, 2024

Title Extend the 'copula' Package with Families and Models from 'VineCopula'

Version 0.1.5

Description Provides new classes for (rotated) BB1, BB6, BB7, BB8, and Tawn copulas, extends the existing Gumbel and Clayton families with rotations, and allows to set up a vine copula model using the 'copula' API. Corresponding objects from the 'VineCopula' API can easily be converted.

License GPL-3

Encoding UTF-8

Roxygen list(markdown = TRUE)

URL <https://github.com/tnagler/VC2copula>

BugReports <https://github.com/tnagler/VC2copula/issues>

Depends copula (>= 1.1-2)

Imports VineCopula (>= 2.3.0), methods

LinkingTo VineCopula

Suggests lattice, testthat (>= 2.1.0)

RoxygenNote 7.2.3

Language en-US

Repository <https://tnagler.r-universe.dev>

RemoteUrl <https://github.com/tnagler/vc2copula>

RemoteRef HEAD

RemoteSha d1715567f0710b6426951043abacc48302c3dcb5

Contents

BB1Copula	2
BB1Copula-class	3
BB6Copula	4

BB6Copula-class	5
BB7Copula	5
BB7Copula-class	6
BB8Copula	7
BB8Copula-class	8
BiCop2copula	8
ddCopula	9
fitCopula	12
joeBiCopula	12
joeBiCopula-class	13
surClaytonCopula	14
surClaytonCopula-class	15
surGumbelCopula	15
surGumbelCopula-class	16
tawnT1Copula	17
tawnT1Copula-class	18
tawnT2Copula	18
tawnT2Copula-class	19
vineCopula	19
vineCopula-class	20
Index	22

BB1Copula

Constructors for BB1 copulas

Description

Constructs an object of the [BB1Copula](#) (survival *sur*, 90 degree rotated *r90* and 270 degree rotated *r270*) family for given parameters.

Usage

```
BB1Copula(param = c(1, 1))
```

```
surBB1Copula(param = c(1, 1))
```

```
r90BB1Copula(param = c(-1, -1))
```

```
r270BB1Copula(param = c(-1, -1))
```

Arguments

param The parameter *param* defines the copula through *theta* and *delta*.

Value

One of the respective BB1 copula classes ([BB1Copula](#), [surBB1Copula](#), [r90BB1Copula](#), [r270BB1Copula](#)).

References

Joe, H., (1997). Multivariate Models and Dependence Concepts. Monogra. Stat. Appl. Probab. 73, London: Chapman and Hall.

See Also

See also [BB6Copula\(\)](#), [BB7Copula\(\)](#), [BB8Copula\(\)](#) and [joeCopula\(\)](#) for further wrapper functions to the [VineCopula-package\(\)](#).

Examples

```
library(copula)

persp(BB1Copula(c(1, 1.5)), dCopula, zlim = c(0, 10))
persp(surBB1Copula(c(1, 1.5)), dCopula, zlim = c(0, 10))
persp(r90BB1Copula(c(-1, -1.5)), dCopula, zlim = c(0, 10))
persp(r270BB1Copula(c(-1, -1.5)), dCopula, zlim = c(0, 10))
```

BB1Copula-class	<i>BB1 copula models</i>
-----------------	--------------------------

Description

Wrapper classes representing the BB1, survival BB1, 90 degree and 270 degree rotated BB1 copula families (Joe 1997) from [VineCopula-package\(\)](#).

Objects from the Classes

Objects can be created by calls of the form `new("BB1Copula", ...)`, `new("surBB1Copula", ...)`, `new("r90BB1Copula", ...)` and `new("r270BB1Copula", ...)` or by the functions [BB1Copula\(\)](#), [surBB1Copula\(\)](#), [r90BB1Copula\(\)](#) and [r270BB1Copula\(\)](#).

References

Joe, H., (1997). Multivariate Models and Dependence Concepts. Monogra. Stat. Appl. Probab. 73, London: Chapman and Hall.

See Also

See also [BB6Copula](#), [BB7Copula](#), [BB8Copula](#) and [joeCopula](#) for further wrapper classes to the [VineCopula-package\(\)](#).

Examples

```
showClass("BB1Copula")
```

BB6Copula*Constructors for BB6 copulas*

Description

Constructs an object of the [BB6Copula](#) (survival *sur*, 90 degree rotated *r90* and 270 degree rotated *r270*) family for given parameters.

Usage

```
BB6Copula(param = c(1, 1))
```

```
surBB6Copula(param = c(1, 1))
```

```
r90BB6Copula(param = c(-1, -1))
```

```
r270BB6Copula(param = c(-1, -1))
```

Arguments

`param` The parameter `param` defines the copula through `theta` and `delta`.

Value

One of the respective BB6 copula classes ([BB6Copula](#), [surBB6Copula](#), [r90BB6Copula](#), [r270BB6Copula](#)).

References

Joe, H., (1997). *Multivariate Models and Dependence Concepts*. Monogra. Stat. Appl. Probab. 73, London: Chapman and Hall.

See Also

See also [BB6Copula\(\)](#), [BB7Copula\(\)](#), [BB8Copula\(\)](#) and [joeCopula\(\)](#) for further wrapper functions to the [VineCopula-package\(\)](#).

Examples

```
library(copula)

persp(BB6Copula(c(1, 1.5)), dCopula, zlim = c(0, 10))
persp(surBB6Copula(c(1, 1.5)), dCopula, zlim = c(0, 10))
persp(r90BB6Copula(c(-1, -1.5)), dCopula, zlim = c(0, 10))
persp(r270BB6Copula(c(-1, -1.5)), dCopula, zlim = c(0, 10))
```

BB6Copula-class	<i>BB6 copula models</i>
-----------------	--------------------------

Description

Wrapper classes representing the BB6, survival BB6, 90 degree and 270 degree rotated BB6 copula families (Joe 1997) from [VineCopula-package\(\)](#).

Objects from the Classes

Objects can be created by calls of the form `new("BB6Copula", ...)`, `new("surBB6Copula", ...)`, `new("r90BB6Copula", ...)` and `new("r270BB6Copula", ...)` or by the functions [BB6Copula\(\)](#), [surBB6Copula\(\)](#), [r90BB6Copula\(\)](#) and [r270BB6Copula\(\)](#).

References

Joe, H., (1997). Multivariate Models and Dependence Concepts. Monogra. Stat. Appl. Probab. 73, London: Chapman and Hall.

See Also

See also [BB6Copula](#), [BB7Copula](#), [BB8Copula](#) and [joeCopula](#) for further wrapper classes to the [VineCopula-package\(\)](#).

Examples

```
showClass("BB6Copula")
```

BB7Copula	<i>Constructors for BB7 copulas</i>
-----------	-------------------------------------

Description

Constructs an object of the [BB7Copula](#) (survival `sur`, 90 degree rotated `r90` and 270 degree rotated `r270`) family for given parameters.

Usage

```
BB7Copula(param = c(1, 1))
```

```
surBB7Copula(param = c(1, 1))
```

```
r90BB7Copula(param = c(-1, -1))
```

```
r270BB7Copula(param = c(-1, -1))
```

Arguments

param The parameter param defines the copula through theta and delta.

Value

One of the respective BB7 copula classes ([BB7Copula](#), [surBB7Copula](#), [r90BB7Copula](#), [r270BB7Copula](#)).

References

Joe, H., (1997). Multivariate Models and Dependence Concepts. Monogra. Stat. Appl. Probab. 73, London: Chapman and Hall.

See Also

See also [BB6Copula\(\)](#), [BB7Copula\(\)](#), [BB8Copula\(\)](#) and [joeCopula\(\)](#) for further wrapper functions to the [VineCopula-package\(\)](#).

Examples

```
library(copula)

persp(BB7Copula(c(1, 1.5)), dCopula, zlim = c(0, 10))
persp(surBB7Copula(c(1, 1.5)), dCopula, zlim = c(0, 10))
persp(r90BB7Copula(c(-1, -1.5)), dCopula, zlim = c(0, 10))
persp(r270BB7Copula(c(-1, -1.5)), dCopula, zlim = c(0, 10))
```

BB7Copula-class

BB7 copula models

Description

Wrapper classes representing the BB7, survival BB7, 90 degree and 270 degree rotated BB7 copula families (Joe 1997) from [VineCopula-package\(\)](#).

Objects from the Classes

Objects can be created by calls of the form `new("BB7Copula", ...)`, `new("surBB7Copula", ...)`, `new("r90BB7Copula", ...)` and `new("r270BB7Copula", ...)` or by the functions [BB7Copula\(\)](#), [surBB7Copula\(\)](#), [r90BB7Copula\(\)](#) and [r270BB7Copula\(\)](#).

References

Joe, H., (1997). Multivariate Models and Dependence Concepts. Monogra. Stat. Appl. Probab. 73, London: Chapman and Hall.

See Also

See also [BB7Copula](#), [BB7Copula](#), [BB8Copula](#) and [joeCopula](#) for further wrapper classes to the [VineCopula-package\(\)](#).

Examples

```
showClass("BB7Copula")
```

 BB8Copula

Constructors for BB8 copulas

Description

Constructs an object of the [BB8Copula](#) (survival `sur`, 90 degree rotated `r90` and 270 degree rotated `r270`) family for given parameters.

Usage

```
BB8Copula(param = c(1, 1))
```

```
surBB8Copula(param = c(1, 1))
```

```
r90BB8Copula(param = c(-1, -1))
```

```
r270BB8Copula(param = c(-1, -1))
```

Arguments

`param` The parameter `param` defines the copula through `theta` and `delta`.

Value

One of the respective BB8 copula classes ([BB8Copula](#), [surBB8Copula](#), [r90BB8Copula](#), [r270BB8Copula](#)).

References

Joe, H., (1997). Multivariate Models and Dependence Concepts. Monogra. Stat. Appl. Probab. 73, London: Chapman and Hall.

See Also

See also [BB6Copula\(\)](#), [BB7Copula\(\)](#), [BB8Copula\(\)](#) and [joeCopula\(\)](#) for further wrapper functions to the [VineCopula-package\(\)](#).

Examples

```
library(copula)

persp(BB8Copula(c(2, 0.9)), dCopula, zlim = c(0, 10))
persp(surBB8Copula(c(2, 0.9)), dCopula, zlim = c(0, 10))
persp(r90BB8Copula(c(-2, -0.9)), dCopula, zlim = c(0, 10))
persp(r270BB8Copula(c(-2, -0.9)), dCopula, zlim = c(0, 10))
```

BB8Copula-class	<i>BB8 copula models</i>
-----------------	--------------------------

Description

Wrapper classes representing the BB8, survival BB8, 90 degree and 270 degree rotated BB8 copula families (Joe 1997) from [VineCopula-package\(\)](#).

Objects from the Classes

Objects can be created by calls of the form `new("BB8Copula", ...)`, `new("surBB8Copula", ...)`, `new("r90BB8Copula", ...)` and `new("r270BB8Copula", ...)` or by the functions [BB8Copula\(\)](#), [surBB8Copula\(\)](#), [r90BB8Copula\(\)](#) and [r270BB8Copula\(\)](#).

References

Joe, H., (1997). Multivariate Models and Dependence Concepts. Monogra. Stat. Appl. Probab. 73, London: Chapman and Hall.

See Also

See also [BB8Copula](#), [BB8Copula](#), [BB8Copula](#) and [joeCopula](#) for further wrapper classes to the [VineCopula-package\(\)](#).

Examples

```
showClass("BB8Copula")
```

BiCop2copula	<i>Construction of a Copula Object from a VineCopula Family Index</i>
--------------	---

Description

A VineCopula family index along with its parameters is used to construct a corresponding [copula](#) object.

Usage

```
BiCop2copula(family, par, par2 = 0, obj = NULL)
```

```
copulaFromFamilyIndex(family, par, par2 = 0)
```


Arguments

family	a family index as defined in VineCopula-package() .
par	first parameter.
par2	second parameter.
obj	BiCop() object containing the family and parameter specification.

Details

If the family and parameter specification is stored in a `[BiCop()]` object `obj`, the alternative version

```
BiCop2copula(u1, u2, obj)
```

can be used.

Value

An object inheriting `copula` corresponding to the specific family.

Examples

```
# normalCopula with parameter 0.5
BiCop2copula(1, 0.5)

# rotated Tawn T2 copula
BiCop2copula(224, -2, 0.5)
```

 ddCopula

Partial Derivatives of Copulas

Description

Similar to `dCopula()` and `pCopula()` the function `dduCopula` evaluates the partial derivative $\frac{\partial}{\partial u} C(u, v)$ and the function `ddvCopula` evaluates the partial derivative $\frac{\partial}{\partial v} C(u, v)$ of the provided copula.

Usage

```
dduCopula(u, copula, ...)

## S4 method for signature 'matrix,normalCopula'
dduCopula(u, copula)

## S4 method for signature 'numeric,normalCopula'
dduCopula(u, copula, ...)

## S4 method for signature 'matrix,normalCopula'
```

```
ddvCopula(u, copula)

## S4 method for signature 'numeric,normalCopula'
ddvCopula(u, copula, ...)

## S4 method for signature 'matrix,tCopula'
dduCopula(u, copula)

## S4 method for signature 'numeric,tCopula'
dduCopula(u, copula, ...)

## S4 method for signature 'matrix,tCopula'
ddvCopula(u, copula)

## S4 method for signature 'numeric,tCopula'
ddvCopula(u, copula, ...)

## S4 method for signature 'matrix,gumbelCopula'
dduCopula(u, copula)

## S4 method for signature 'numeric,gumbelCopula'
dduCopula(u, copula, ...)

## S4 method for signature 'matrix,gumbelCopula'
ddvCopula(u, copula)

## S4 method for signature 'numeric,gumbelCopula'
ddvCopula(u, copula, ...)

## S4 method for signature 'matrix,claytonCopula'
dduCopula(u, copula)

## S4 method for signature 'numeric,claytonCopula'
dduCopula(u, copula, ...)

## S4 method for signature 'matrix,claytonCopula'
ddvCopula(u, copula)

## S4 method for signature 'numeric,claytonCopula'
ddvCopula(u, copula, ...)

## S4 method for signature 'matrix,indepCopula'
dduCopula(u, copula)

## S4 method for signature 'numeric,indepCopula'
dduCopula(u, copula, ...)

## S4 method for signature 'matrix,indepCopula'
```

```
ddvCopula(u, copula)

## S4 method for signature 'numeric,indepCopula'
ddvCopula(u, copula, ...)

## S4 method for signature 'matrix,frankCopula'
dduCopula(u, copula)

## S4 method for signature 'numeric,frankCopula'
dduCopula(u, copula, ...)

## S4 method for signature 'matrix,frankCopula'
ddvCopula(u, copula)

## S4 method for signature 'numeric,frankCopula'
ddvCopula(u, copula, ...)
```

Arguments

u	Pairs of values for which the partial derivative should be evaluated.
copula	The copula object representing the family member of interest.
...	additional arguments can be passed on to the underlying functions.

Value

A vector of the evaluated partial derivatives of the same length as rows in u.

Examples

```
library(copula)

BB1Cop <- BB1Copula()
BB1CopSmpl <- rCopula(100, BB1Cop)

# conditional probabilities of a Gaussian copula given u
BB1GivenU <- dduCopula(BB1CopSmpl, BB1Cop)

# vs. conditional probabilities of a Gaussian copula given v
BB1GivenV <- ddvCopula(BB1CopSmpl[, c(2, 1)], BB1Cop)

plot(BB1GivenU, BB1GivenV)
abline(0, 1)
```

fitCopula	<i>A dedicated method to use the estimation routines from the VineCopula package</i>
-----------	--

Description

Bivariate copulas are estimated based on [BiCopEst](#) and vine copulas through [RVineStructureSelect](#) or [RVineCopSelect](#) depending on the method argument.

Usage

```
BCfitCopula(copula, data, method = "ml")
```

Arguments

copula	an object of the desired copula class
data	a matrix holding the U(0,1) distributed data columns
method	for BIVARIATE copulas either "ml" or "itau" for maximum likelihood estimation or inverse tau estimation (for one parameter families) respectively. See BiCopEst for details. In case of a VINE copulas a list with names entries StructureSelect (default: FALSE), indeptest (default: FALSE), familyset (default: 'NA') and indeptest (default: FALSE). See RVineStructureSelect or RVineCopSelect for details.

Value

an object of class [fitCopula](#) as in the copula package.

Examples

```
u <- rCopula(1000, tawnT1Copula(c(3, 0.5)))
fitCopula(tawnT1Copula(), u)
```

joeBiCopula	<i>Constructors for Joe copulas</i>
-------------	-------------------------------------

Description

Constructs an object of the (survival [surJoeBiCopula](#), 90 degree rotated [r90JoeBiCopula](#) and 270 degree rotated [r270JoeBiCopula](#)) family for a given parameter. Note that package [copula-package\(\)](#) provides a class [joeCopula](#) as well.

Usage

```
joeBiCopula(param = 2)

surJoeBiCopula(param = 2)

r90JoeBiCopula(param = -2)

r270JoeBiCopula(param = -2)
```

Arguments

param The parameter param defines the copula through theta.

Value

One of the respective Joe copula classes ([joeBiCopula](#), [surJoeBiCopula](#), [r90JoeBiCopula](#), [r270JoeBiCopula](#)).

References

Joe, H., (1997). Multivariate Models and Dependence Concepts. Monogra. Stat. Appl. Probab. 73, London: Chapman and Hall.

See Also

See also [BB1Copula\(\)](#), [BB6Copula\(\)](#), [BB7Copula\(\)](#) and [BB8Copula\(\)](#) for further wrapper functions to the [VineCopula-package\(\)](#).

Examples

```
library(copula)

persp(surJoeBiCopula(1.5), dCopula, zlim = c(0, 10))
persp(r90JoeBiCopula(-1.5), dCopula, zlim = c(0, 10))
persp(r270JoeBiCopula(-1.5), dCopula, zlim = c(0, 10))
```

joeBiCopula-class *Joe copula models*

Description

Wrapper classes representing the bivariate Joe, survival Joe, 90 degree and 270 degree rotated Joe copula families (Joe 1997) from [VineCopula-package\(\)](#). Note that package [copula-package\(\)](#) provides a class [joeCopula](#) as well.

Objects from the Classes

Objects can be created by calls of the form `new("joeBiCopula", ...)`, `new("surJoeBiCopula", ...)`, `new("r90JoeBiCopula", ...)` and `new("r270JoeBiCopula", ...)` or by the functions [joeBiCopula\(\)](#), [surJoeBiCopula\(\)](#), [r90JoeBiCopula\(\)](#) and [r270JoeBiCopula\(\)](#).

References

Joe, H., (1997). Multivariate Models and Dependence Concepts. Monogra. Stat. Appl. Probab. 73, London: Chapman and Hall.

See Also

See also [BB1Copula](#), [BB6Copula](#), [BB7Copula](#) and [BB8Copula](#) for further wrapper classes to the [VineCopula-package\(\)](#).

Examples

```
showClass("surJoeBiCopula")
```

surClaytonCopula	<i>Constructors for survival and rotated Clayton Copulas</i>
------------------	--

Description

These are wrappers to functions from [VineCopula-package\(\)](#)

Usage

```
surClaytonCopula(param = 1)
```

```
r90ClaytonCopula(param = -1)
```

```
r270ClaytonCopula(param = -1)
```

Arguments

param A single parameter defining the Copula.

Value

An object of class [surClaytonCopula](#), [r90ClaytonCopula](#) or [r270ClaytonCopula](#) respectively.

Examples

```
library(copula)

persp(surClaytonCopula(1.5), dCopula, zlim = c(0, 10))
persp(r90ClaytonCopula(-1.5), dCopula, zlim = c(0, 10))
persp(r270ClaytonCopula(-1.5), dCopula, zlim = c(0, 10))
```

`surClaytonCopula-class`*Survival and rotated Clayton copula models*

Description

A class representing rotated versions of the Clayton copula family (survival, 90 and 270 degree rotated).

Objects from the Class

Objects can be created by calls of the form `new("surClaytonCopula", ...)`, `new("r90ClaytonCopula", ...)` and `new("r270ClaytonCopula", ...)` or by the function `surClaytonCopula()`, `r90ClaytonCopula()` and `r270ClaytonCopula()` respectively.

See Also

[VineCopula-package\(\)](#)

Examples

```
library(copula)

persp(surClaytonCopula(.5), dCopula, zlim = c(0, 10))
persp(r90ClaytonCopula(-.5), dCopula, zlim = c(0, 10))
persp(r270ClaytonCopula(-.5), dCopula, zlim = c(0, 10))
```

`surGumbelCopula`*Constructors for survival and rotated Gumbel Copulas*

Description

These are wrappers to functions from [VineCopula-package\(\)](#)

Usage

```
surGumbelCopula(param = 1)

r90GumbelCopula(param = -1)

r270GumbelCopula(param = -1)
```

Arguments

`param` A single parameter defining the Copula.

Value

An object of class [surGumbelCopula](#), [r90GumbelCopula](#) or [r270GumbelCopula](#) respectively.

Examples

```
library(copula)

persp(surGumbelCopula(1.5), dCopula, zlim = c(0, 10))
persp(r90GumbelCopula(-1.5), dCopula, zlim = c(0, 10))
persp(r270GumbelCopula(-1.5), dCopula, zlim = c(0, 10))
```

surGumbelCopula-class *Survival and rotated Gumbel copula models*

Description

A class representing rotated versions of the Gumbel copula family (survival, 90 and 270 degree rotated).

Objects from the Class

Objects can be created by calls of the form `new("surGumbelCopula", ...)`, `new("r90GumbelCopula", ...)` and `new("r270GumbelCopula", ...)` or by the function [surGumbelCopula\(\)](#), [r90GumbelCopula\(\)](#) and [r270GumbelCopula\(\)](#) respectively.

See Also

[VineCopula-package\(\)](#)

Examples

```
library(copula)

persp(surGumbelCopula(5), dCopula, zlim = c(0, 10))
persp(r90GumbelCopula(-5), dCopula, zlim = c(0, 10))
persp(r270GumbelCopula(-5), dCopula, zlim = c(0, 10))
```

tawnT1Copula	<i>Constructor for Tawn copulas (type 1)</i>
--------------	--

Description

Constructs an object of the [tawnT1Copula](#) (survival `sur`, 90 degree rotated `r90` and 270 degree rotated `r270`) family for given parameters.

Usage

```
tawnT1Copula(param = c(2, 0.5))  
surTawnT1Copula(param = c(2, 0.5))  
r90TawnT1Copula(param = c(-2, 0.5))  
r270TawnT1Copula(param = c(-2, 0.5))
```

Arguments

`param` The parameter `param` defines the copula through `param1` and `param2`.

Value

One of the Tawn type 1 copula classes ([tawnT1Copula](#), [surTawnT1Copula](#), [r90TawnT1Copula](#), [r270TawnT1Copula](#)).

See Also

[tawnT1Copula\(\)](#) and the package [VineCopula-package\(\)](#) for implementation details.

Examples

```
library(copula)  
  
persp(tawnT1Copula(), dCopula, zlim = c(0, 10))  
persp(surTawnT1Copula(), dCopula, zlim = c(0, 10))  
persp(r90TawnT1Copula(), dCopula, zlim = c(0, 10))  
persp(r270TawnT1Copula(), dCopula, zlim = c(0, 10))
```

tawnT1Copula-class	<i>Tawn copula models (type 1)</i>
--------------------	------------------------------------

Description

S4-class representation of the Tawn Copula family of type 1 and rotated versions there of.

Objects from the Class

Objects can be created by calls of the form `new("tawnT1Copula", ...)`, or through the explicit constructors `tawnT1Copula()`, `surTawnT1Copula()`, `r90TawnT1Copula()` and `r270TawnT1Copula()` respectively.

See Also

`tawnT1Copula` and the package `VineCopula-package()` for implementation details.

Examples

```
showClass("tawnT1Copula")
```

tawnT2Copula	<i>Constructor for Tawn copulas (type 2)</i>
--------------	--

Description

Constructs an object of the `tawnT2Copula` (survival `sur`, 90 degree rotated `r90` and 270 degree rotated `r270`) family for given parameters.

Usage

```
tawnT2Copula(param = c(2, 0.5))
```

```
surTawnT2Copula(param = c(2, 0.5))
```

```
r90TawnT2Copula(param = c(-2, 0.5))
```

```
r270TawnT2Copula(param = c(-2, 0.5))
```

Arguments

`param` The parameter `param` defines the copula through `param1` and `param2`.

Value

One of the Tawn type 2 copula classes (`tawnT2Copula`, `surTawnT2Copula`, `r90TawnT2Copula`, `r270TawnT2Copula`).

See Also

[tawnT2Copula\(\)](#) and the package [VineCopula-package\(\)](#) for implementation details.

Examples

```
library(copula)

persp(tawnT2Copula(), dCopula, zlim = c(0, 10))
persp(surTawnT2Copula(), dCopula, zlim = c(0, 10))
persp(r90TawnT2Copula(), dCopula, zlim = c(0, 10))
persp(r270TawnT2Copula(), dCopula, zlim = c(0, 10))
```

tawnT2Copula-class	<i>Tawn copula models (type 2)</i>
--------------------	------------------------------------

Description

S4-class representation of the Tawn Copula family of type 2 and rotated versions there of.

Objects from the Class

Objects can be created by calls of the form `new("tawnT2Copula", ...)`, or through the explicit constructors [tawnT2Copula\(\)](#), [surTawnT2Copula\(\)](#), [r90TawnT2Copula\(\)](#) and [r270TawnT2Copula\(\)](#) respectively.

See Also

[tawnT2Copula](#) and the package [VineCopula-package\(\)](#) for implementation details.

Examples

```
showClass("tawnT2Copula")
```

vineCopula	<i>Constructor of the Class vineCopula.</i>
------------	---

Description

Constructs an instance of the [vineCopula](#) class.

Usage

```
vineCopula(RVM, type = "CVine")
```

Arguments

RVM	An object of class <code>RVineMatrix</code> generated from <code>RVineMatrix</code> in the package <code>VineCopula-package</code> or an integer (e.g. 4L) defining the dimension (an independent Gaussian C-vine of this dimension will be constructed).
type	A predefined type if only the dimension is provided and ignored otherwise, the default is a canonical vine

Value

An instance of the `vineCopula` class.

Author(s)

Benedikt Graeler

References

Aas, K., C. Czado, A. Frigessi, and H. Bakken (2009). Pair-copula constructions of multiple dependence Insurance: Mathematics and Economics 44 (2), 182-198.

Examples

```
# a C-vine of independent copulas
vine <- vineCopula(4L, "CVine")

library(copula)
library(lattice)

cloud(V1 ~ V2 + V3, as.data.frame(rCopula(500, vine)))
```

vineCopula-class *Class "vineCopula"*

Description

A class representing vine copulas in a object oriented implementations. Many functions go back to the package `VineCopula-package`

Objects from the Class

Objects can be created by calls of the form `new("vineCopula", ...)` or through the function `vineCopula`.

Author(s)

Benedikt Graeler

References

Aas, K., C. Czado, A. Frigessi, and H. Bakken (2009). Pair-copula constructions of multiple dependence Insurance: Mathematics and Economics 44 (2), 182-198.

See Also

[RVineMatrix](#) from package [VineCopula-package](#)

Examples

```
showClass("vineCopula")
```

Index

* classes

- BB1Copula-class, 3
- BB6Copula-class, 5
- BB7Copula-class, 6
- BB8Copula-class, 8
- joeBiCopula-class, 13
- surClaytonCopula-class, 15
- surGumbelCopula-class, 16
- tawnT1Copula-class, 18
- tawnT2Copula-class, 19
- vineCopula-class, 20

* conditional

- ddCopula, 9

* copula

- BB1Copula, 2
- surClaytonCopula, 14
- surGumbelCopula, 15
- tawnT1Copula, 17
- tawnT2Copula, 18

* derivative

- ddCopula, 9

* distribution

- BB1Copula, 2
- tawnT1Copula, 17
- tawnT2Copula, 18
- vineCopula, 19

* multivariate

- vineCopula, 19

* partial

- ddCopula, 9

* probabilities

- ddCopula, 9

- BB1Copula, 2, 2, 14
- BB1Copula(), 3, 13
- BB1Copula-class, 3
- BB6Copula, 3, 4, 4, 5, 14
- BB6Copula(), 3–7, 13
- BB6Copula-class, 5
- BB7Copula, 3, 5, 5, 6, 14

- BB7Copula(), 3, 4, 6, 7, 13

- BB7Copula-class, 6

- BB8Copula, 3, 5–7, 7, 8, 14

- BB8Copula(), 3, 4, 6–8, 13

- BB8Copula-class, 8

- BCfitCopula (fitCopula), 12

- BiCop(), 9

- BiCop2copula, 8

- BiCopEst, 12

- copula, 8, 9

- copulaFromFamilyIndex (BiCop2copula), 8

- dCopula(), 9

- ddCopula, 9

- dduCopula (ddCopula), 9

- dduCopula, matrix, BB1Copula-method (BB1Copula-class), 3

- dduCopula, matrix, BB6Copula-method (BB6Copula-class), 5

- dduCopula, matrix, BB7Copula-method (BB7Copula-class), 6

- dduCopula, matrix, BB8Copula-method (BB8Copula-class), 8

- dduCopula, matrix, claytonCopula-method (ddCopula), 9

- dduCopula, matrix, frankCopula-method (ddCopula), 9

- dduCopula, matrix, gumbelCopula-method (ddCopula), 9

- dduCopula, matrix, indepCopula-method (ddCopula), 9

- dduCopula, matrix, joeBiCopula-method (joeBiCopula-class), 13

- dduCopula, matrix, normalCopula-method (ddCopula), 9

- dduCopula, matrix, r270BB1Copula-method (BB1Copula-class), 3

- dduCopula, matrix, r270BB6Copula-method (BB6Copula-class), 5

- dduCopula, matrix, r270BB7Copula-method (BB7Copula-class), 6
 dduCopula, matrix, r270BB8Copula-method (BB8Copula-class), 8
 dduCopula, matrix, r270ClaytonCopula-method (surClaytonCopula-class), 15
 dduCopula, matrix, r270GumbelCopula-method (surGumbelCopula-class), 16
 dduCopula, matrix, r270JoeBiCopula-method (joeBiCopula-class), 13
 dduCopula, matrix, r270TawnT1Copula-method (tawnT1Copula-class), 18
 dduCopula, matrix, r270TawnT2Copula-method (tawnT2Copula-class), 19
 dduCopula, matrix, r90BB1Copula-method (BB1Copula-class), 3
 dduCopula, matrix, r90BB6Copula-method (BB6Copula-class), 5
 dduCopula, matrix, r90BB7Copula-method (BB7Copula-class), 6
 dduCopula, matrix, r90BB8Copula-method (BB8Copula-class), 8
 dduCopula, matrix, r90ClaytonCopula-method (surClaytonCopula-class), 15
 dduCopula, matrix, r90GumbelCopula-method (surGumbelCopula-class), 16
 dduCopula, matrix, r90JoeBiCopula-method (joeBiCopula-class), 13
 dduCopula, matrix, r90TawnT1Copula-method (tawnT1Copula-class), 18
 dduCopula, matrix, r90TawnT2Copula-method (tawnT2Copula-class), 19
 dduCopula, matrix, surBB1Copula-method (BB1Copula-class), 3
 dduCopula, matrix, surBB6Copula-method (BB6Copula-class), 5
 dduCopula, matrix, surBB7Copula-method (BB7Copula-class), 6
 dduCopula, matrix, surBB8Copula-method (BB8Copula-class), 8
 dduCopula, matrix, surClaytonCopula-method (surClaytonCopula-class), 15
 dduCopula, matrix, surGumbelCopula-method (surGumbelCopula-class), 16
 dduCopula, matrix, surJoeBiCopula-method (joeBiCopula-class), 13
 dduCopula, matrix, surTawnT1Copula-method (tawnT1Copula-class), 18
 dduCopula, matrix, surTawnT2Copula-method (tawnT2Copula-class), 19
 dduCopula, matrix, tawnT1Copula-method (tawnT1Copula-class), 18
 dduCopula, matrix, tawnT2Copula-method (tawnT2Copula-class), 19
 dduCopula, matrix, tCopula-method (ddCopula), 9
 dduCopula, numeric, BB1Copula-method (BB1Copula-class), 3
 dduCopula, numeric, BB6Copula-method (BB6Copula-class), 5
 dduCopula, numeric, BB7Copula-method (BB7Copula-class), 6
 dduCopula, numeric, BB8Copula-method (BB8Copula-class), 8
 dduCopula, numeric, claytonCopula-method (ddCopula), 9
 dduCopula, numeric, frankCopula-method (ddCopula), 9
 dduCopula, numeric, gumbelCopula-method (ddCopula), 9
 dduCopula, numeric, indepCopula-method (ddCopula), 9
 dduCopula, numeric, joeBiCopula-method (joeBiCopula-class), 13
 dduCopula, numeric, normalCopula-method (ddCopula), 9
 dduCopula, numeric, r270BB1Copula-method (BB1Copula-class), 3
 dduCopula, numeric, r270BB6Copula-method (BB6Copula-class), 5
 dduCopula, numeric, r270BB7Copula-method (BB7Copula-class), 6
 dduCopula, numeric, r270BB8Copula-method (BB8Copula-class), 8
 dduCopula, numeric, r270ClaytonCopula-method (surClaytonCopula-class), 15
 dduCopula, numeric, r270GumbelCopula-method (surGumbelCopula-class), 16
 dduCopula, numeric, r270JoeBiCopula-method (joeBiCopula-class), 13
 dduCopula, numeric, r270TawnT1Copula-method (tawnT1Copula-class), 18
 dduCopula, numeric, r270TawnT2Copula-method (tawnT2Copula-class), 19
 dduCopula, numeric, r90BB1Copula-method (BB1Copula-class), 3

- dduCopula, numeric, r90BB6Copula-method (BB6Copula-class), 5
- dduCopula, numeric, r90BB7Copula-method (BB7Copula-class), 6
- dduCopula, numeric, r90BB8Copula-method (BB8Copula-class), 8
- dduCopula, numeric, r90ClaytonCopula-method (surClaytonCopula-class), 15
- dduCopula, numeric, r90GumbelCopula-method (surGumbelCopula-class), 16
- dduCopula, numeric, r90JoeBiCopula-method (joeBiCopula-class), 13
- dduCopula, numeric, r90TawnT1Copula-method (tawnT1Copula-class), 18
- dduCopula, numeric, r90TawnT2Copula-method (tawnT2Copula-class), 19
- dduCopula, numeric, surBB1Copula-method (BB1Copula-class), 3
- dduCopula, numeric, surBB6Copula-method (BB6Copula-class), 5
- dduCopula, numeric, surBB7Copula-method (BB7Copula-class), 6
- dduCopula, numeric, surBB8Copula-method (BB8Copula-class), 8
- dduCopula, numeric, surClaytonCopula-method (surClaytonCopula-class), 15
- dduCopula, numeric, surGumbelCopula-method (surGumbelCopula-class), 16
- dduCopula, numeric, surJoeBiCopula-method (joeBiCopula-class), 13
- dduCopula, numeric, surTawnT1Copula-method (tawnT1Copula-class), 18
- dduCopula, numeric, surTawnT2Copula-method (tawnT2Copula-class), 19
- dduCopula, numeric, tawnT1Copula-method (tawnT1Copula-class), 18
- dduCopula, numeric, tawnT2Copula-method (tawnT2Copula-class), 19
- dduCopula, numeric, tCopula-method (ddCopula), 9
- ddvCopula (ddCopula), 9
- ddvCopula, matrix, BB1Copula-method (BB1Copula-class), 3
- ddvCopula, matrix, BB6Copula-method (BB6Copula-class), 5
- ddvCopula, matrix, BB7Copula-method (BB7Copula-class), 6
- ddvCopula, matrix, BB8Copula-method (BB8Copula-class), 8
- ddvCopula, matrix, claytonCopula-method (ddCopula), 9
- ddvCopula, matrix, frankCopula-method (ddCopula), 9
- ddvCopula, matrix, gumbelCopula-method (ddCopula), 9
- ddvCopula, matrix, indepCopula-method (ddCopula), 9
- ddvCopula, matrix, joeBiCopula-method (joeBiCopula-class), 13
- ddvCopula, matrix, normalCopula-method (ddCopula), 9
- ddvCopula, matrix, r270BB1Copula-method (BB1Copula-class), 3
- ddvCopula, matrix, r270BB6Copula-method (BB6Copula-class), 5
- ddvCopula, matrix, r270BB7Copula-method (BB7Copula-class), 6
- ddvCopula, matrix, r270BB8Copula-method (BB8Copula-class), 8
- ddvCopula, matrix, r270ClaytonCopula-method (surClaytonCopula-class), 15
- ddvCopula, matrix, r270GumbelCopula-method (surGumbelCopula-class), 16
- ddvCopula, matrix, r270JoeBiCopula-method (joeBiCopula-class), 13
- ddvCopula, matrix, r270TawnT1Copula-method (tawnT1Copula-class), 18
- ddvCopula, matrix, r270TawnT2Copula-method (tawnT2Copula-class), 19
- ddvCopula, matrix, r90BB1Copula-method (BB1Copula-class), 3
- ddvCopula, matrix, r90BB6Copula-method (BB6Copula-class), 5
- ddvCopula, matrix, r90BB7Copula-method (BB7Copula-class), 6
- ddvCopula, matrix, r90BB8Copula-method (BB8Copula-class), 8
- ddvCopula, matrix, r90ClaytonCopula-method (surClaytonCopula-class), 15
- ddvCopula, matrix, r90GumbelCopula-method (surGumbelCopula-class), 16
- ddvCopula, matrix, r90JoeBiCopula-method (joeBiCopula-class), 13
- ddvCopula, matrix, r90TawnT1Copula-method (tawnT1Copula-class), 18
- ddvCopula, matrix, r90TawnT2Copula-method (tawnT2Copula-class), 19

- (tawnT2Copula-class), 19
- ddvCopula, matrix, surBB1Copula-method (BB1Copula-class), 3
- ddvCopula, matrix, surBB6Copula-method (BB6Copula-class), 5
- ddvCopula, matrix, surBB7Copula-method (BB7Copula-class), 6
- ddvCopula, matrix, surBB8Copula-method (BB8Copula-class), 8
- ddvCopula, matrix, surClaytonCopula-method (surClaytonCopula-class), 15
- ddvCopula, matrix, surGumbelCopula-method (surGumbelCopula-class), 16
- ddvCopula, matrix, surJoeBiCopula-method (joeBiCopula-class), 13
- ddvCopula, matrix, surTawnT1Copula-method (tawnT1Copula-class), 18
- ddvCopula, matrix, surTawnT2Copula-method (tawnT2Copula-class), 19
- ddvCopula, matrix, tawnT1Copula-method (tawnT1Copula-class), 18
- ddvCopula, matrix, tawnT2Copula-method (tawnT2Copula-class), 19
- ddvCopula, matrix, tCopula-method (ddCopula), 9
- ddvCopula, numeric, BB1Copula-method (BB1Copula-class), 3
- ddvCopula, numeric, BB6Copula-method (BB6Copula-class), 5
- ddvCopula, numeric, BB7Copula-method (BB7Copula-class), 6
- ddvCopula, numeric, BB8Copula-method (BB8Copula-class), 8
- ddvCopula, numeric, claytonCopula-method (ddCopula), 9
- ddvCopula, numeric, frankCopula-method (ddCopula), 9
- ddvCopula, numeric, gumbelCopula-method (ddCopula), 9
- ddvCopula, numeric, indepCopula-method (ddCopula), 9
- ddvCopula, numeric, joeBiCopula-method (joeBiCopula-class), 13
- ddvCopula, numeric, normalCopula-method (ddCopula), 9
- ddvCopula, numeric, r270BB1Copula-method (BB1Copula-class), 3
- ddvCopula, numeric, r270BB6Copula-method (BB6Copula-class), 5
- ddvCopula, numeric, r270BB7Copula-method (BB7Copula-class), 6
- ddvCopula, numeric, r270BB8Copula-method (BB8Copula-class), 8
- ddvCopula, numeric, r270ClaytonCopula-method (surClaytonCopula-class), 15
- ddvCopula, numeric, r270GumbelCopula-method (surGumbelCopula-class), 16
- ddvCopula, numeric, r270JoeBiCopula-method (joeBiCopula-class), 13
- ddvCopula, numeric, r270TawnT1Copula-method (tawnT1Copula-class), 18
- ddvCopula, numeric, r270TawnT2Copula-method (tawnT2Copula-class), 19
- ddvCopula, numeric, r90BB1Copula-method (BB1Copula-class), 3
- ddvCopula, numeric, r90BB6Copula-method (BB6Copula-class), 5
- ddvCopula, numeric, r90BB7Copula-method (BB7Copula-class), 6
- ddvCopula, numeric, r90BB8Copula-method (BB8Copula-class), 8
- ddvCopula, numeric, r90ClaytonCopula-method (surClaytonCopula-class), 15
- ddvCopula, numeric, r90GumbelCopula-method (surGumbelCopula-class), 16
- ddvCopula, numeric, r90JoeBiCopula-method (joeBiCopula-class), 13
- ddvCopula, numeric, r90TawnT1Copula-method (tawnT1Copula-class), 18
- ddvCopula, numeric, r90TawnT2Copula-method (tawnT2Copula-class), 19
- ddvCopula, numeric, surBB1Copula-method (BB1Copula-class), 3
- ddvCopula, numeric, surBB6Copula-method (BB6Copula-class), 5
- ddvCopula, numeric, surBB7Copula-method (BB7Copula-class), 6
- ddvCopula, numeric, surBB8Copula-method (BB8Copula-class), 8
- ddvCopula, numeric, surClaytonCopula-method (surClaytonCopula-class), 15
- ddvCopula, numeric, surGumbelCopula-method (surGumbelCopula-class), 16
- ddvCopula, numeric, surJoeBiCopula-method (joeBiCopula-class), 13
- ddvCopula, numeric, surTawnT1Copula-method (tawnT1Copula-class), 18

- (tawnT1Copula-class), 18
- ddvCopula, numeric, surTawnT2Copula-method (tawnT2Copula-class), 19
- ddvCopula, numeric, tawnT1Copula-method (tawnT1Copula-class), 18
- ddvCopula, numeric, tawnT2Copula-method (tawnT2Copula-class), 19
- ddvCopula, numeric, tCopula-method (ddCopula), 9
- fitCopula, 12, 12
- fitCopula, vineCopula-method (vineCopula-class), 20
- getKendallDistr, BB1Copula-method (BB1Copula-class), 3
- getKendallDistr, BB6Copula-method (BB6Copula-class), 5
- getKendallDistr, BB7Copula-method (BB7Copula-class), 6
- getKendallDistr, BB8Copula-method (BB8Copula-class), 8
- getKendallDistr, joeBiCopula-method (joeBiCopula-class), 13
- joeBiCopula, 12, 13
- joeBiCopula(), 13
- joeBiCopula-class, 13
- joeCopula, 3, 5, 6, 8, 12, 13
- joeCopula(), 3, 4, 6, 7
- kendallDistribution, BB1Copula-method (BB1Copula-class), 3
- kendallDistribution, BB6Copula-method (BB6Copula-class), 5
- kendallDistribution, BB7Copula-method (BB7Copula-class), 6
- kendallDistribution, BB8Copula-method (BB8Copula-class), 8
- kendallDistribution, joeBiCopula-method (joeBiCopula-class), 13
- pCopula(), 9
- r270BB1Copula, 2
- r270BB1Copula (BB1Copula), 2
- r270BB1Copula(), 3
- r270BB1Copula-class (BB1Copula-class), 3
- r270BB6Copula, 4
- r270BB6Copula (BB6Copula), 4
- r270BB6Copula(), 5
- r270BB6Copula-class (BB6Copula-class), 5
- r270BB7Copula, 6
- r270BB7Copula (BB7Copula), 5
- r270BB7Copula(), 6
- r270BB7Copula-class (BB7Copula-class), 6
- r270BB8Copula, 7
- r270BB8Copula (BB8Copula), 7
- r270BB8Copula(), 8
- r270BB8Copula-class (BB8Copula-class), 8
- r270ClaytonCopula, 14
- r270ClaytonCopula (surClaytonCopula), 14
- r270ClaytonCopula(), 15
- r270ClaytonCopula-class (surClaytonCopula-class), 15
- r270GumbelCopula, 16
- r270GumbelCopula (surGumbelCopula), 15
- r270GumbelCopula(), 16
- r270GumbelCopula-class (surGumbelCopula-class), 16
- r270JoeBiCopula, 13
- r270JoeBiCopula (joeBiCopula), 12
- r270JoeBiCopula(), 13
- r270JoeBiCopula-class (joeBiCopula-class), 13
- r270TawnT1Copula, 17
- r270TawnT1Copula (tawnT1Copula), 17
- r270TawnT1Copula(), 18
- r270TawnT1Copula-class (tawnT1Copula-class), 18
- r270TawnT2Copula, 18
- r270TawnT2Copula (tawnT2Copula), 18
- r270TawnT2Copula(), 19
- r270TawnT2Copula-class (tawnT2Copula-class), 19
- r90BB1Copula, 2
- r90BB1Copula (BB1Copula), 2
- r90BB1Copula(), 3
- r90BB1Copula-class (BB1Copula-class), 3
- r90BB6Copula, 4
- r90BB6Copula (BB6Copula), 4
- r90BB6Copula(), 5
- r90BB6Copula-class (BB6Copula-class), 5
- r90BB7Copula, 6
- r90BB7Copula (BB7Copula), 5
- r90BB7Copula(), 6
- r90BB7Copula-class (BB7Copula-class), 6
- r90BB8Copula, 7

- r90BB8Copula (BB8Copula), 7
- r90BB8Copula(), 8
- r90BB8Copula-class (BB8Copula-class), 8
- r90ClaytonCopula, 14
- r90ClaytonCopula (surClaytonCopula), 14
- r90ClaytonCopula(), 15
- r90ClaytonCopula-class
 - (surClaytonCopula-class), 15
- r90GumbelCopula, 16
- r90GumbelCopula (surGumbelCopula), 15
- r90GumbelCopula(), 16
- r90GumbelCopula-class
 - (surGumbelCopula-class), 16
- r90JoeBiCopula, 13
- r90JoeBiCopula (joeBiCopula), 12
- r90JoeBiCopula(), 13
- r90JoeBiCopula-class
 - (joeBiCopula-class), 13
- r90TawnT1Copula, 17
- r90TawnT1Copula (tawnT1Copula), 17
- r90TawnT1Copula(), 18
- r90TawnT1Copula-class
 - (tawnT1Copula-class), 18
- r90TawnT2Copula, 18
- r90TawnT2Copula (tawnT2Copula), 18
- r90TawnT2Copula(), 19
- r90TawnT2Copula-class
 - (tawnT2Copula-class), 19
- RVineCopSelect, 12
- RVineMatrix, 20, 21
- RVineStructureSelect, 12

- surBB1Copula, 2
- surBB1Copula (BB1Copula), 2
- surBB1Copula(), 3
- surBB1Copula-class (BB1Copula-class), 3
- surBB6Copula, 4
- surBB6Copula (BB6Copula), 4
- surBB6Copula(), 5
- surBB6Copula-class (BB6Copula-class), 5
- surBB7Copula, 6
- surBB7Copula (BB7Copula), 5
- surBB7Copula(), 6
- surBB7Copula-class (BB7Copula-class), 6
- surBB8Copula, 7
- surBB8Copula (BB8Copula), 7
- surBB8Copula(), 8
- surBB8Copula-class (BB8Copula-class), 8
- surClaytonCopula, 14, 14
- surClaytonCopula(), 15
- surClaytonCopula-class, 15
- surGumbelCopula, 15, 16
- surGumbelCopula(), 16
- surGumbelCopula-class, 16
- surJoeBiCopula, 13
- surJoeBiCopula (joeBiCopula), 12
- surJoeBiCopula(), 13
- surJoeBiCopula-class
 - (joeBiCopula-class), 13
- surTawnT1Copula, 17
- surTawnT1Copula (tawnT1Copula), 17
- surTawnT1Copula(), 18
- surTawnT1Copula-class
 - (tawnT1Copula-class), 18
- surTawnT2Copula, 18
- surTawnT2Copula (tawnT2Copula), 18
- surTawnT2Copula(), 19
- surTawnT2Copula-class
 - (tawnT2Copula-class), 19

- tawnT1Copula, 17, 17, 18
- tawnT1Copula(), 17, 18
- tawnT1Copula-class, 18
- tawnT2Copula, 18, 18, 19
- tawnT2Copula(), 19
- tawnT2Copula-class, 19

- vineCopula, 19, 19, 20
- vineCopula-class, 20